مسترتست؛ وب سایت تخصصی آزمون کارشناسی ارشد



آخرین اخبار و اطلاعات کارشناسی ارشد در وب سایت مسترتست

مسترتست؛ وب سایت تخصصی آزمون کارشناسی ارشد

صفحه ۲	7	06F	ُموزش مهندسی (کد ۱۲۹۵)
نما در جلسهٔ آزمون است.	.ول زیر، بهمنزلهٔ عدم حضور ش	ات و امضا در مندرجات جد	* داوطلب گرامی، عدم درج مشخص
ودن شمارهٔ صندلی خود با	با آگاهی کامل، یکسانبو	مارهٔ داوطلبی	اينجانببا ش
وع و کد کنترل درج شده	باسخنامه و دفترچهٔ سؤالات، ن	ارت ورود به حلسه، بالای	شمارهٔ داوطلبی مندرج در بالای ک
6, 6, 76,			بر روی جلد دفترچهٔ سؤالات و پای
	10	G)	
امضا:			
			بان عمومی و تخصصی (انگلیسی):
DADT A. W l.	1		
PART A: Vocabu	•	2) (3) or (4) that has	t completes each sentence.
	er on your answer sheet.	2), (3), 01 (4) that bes	i completes each sentence.
***			· · · · · · · · · · · · · · · · · · ·
- When you pace.	a meeting, it is impo	rtant to speak cleary	y, confidently and at a good
1) assess	2) propagate	3) address	4) impress
,	, I I C	,	e costs involved we do not
_	, and we need to look		
1) compliant	,	,	,
	uestion is very poor, and		
1) infancy	,	3) malfunction	, ·
	-	rly, but who	en I'm given a job, I make
sure it gets done.		2) : 1	4)
1) industrious		, .	
The new airliner being its limited f		lly-iriendly than oth	er aircraft, its only
1) demand	2) drawback	3) controversy	4) attribute
,	,	,	eep stalkers away from his
property.	n assistance n	iom the ponce to ki	cep starkers away from his
1) extend	2) invoke	3) absolve	4) withdraw
/	/	/	nother, an earthquake with
-	equences may be		,
1) derived	2) surpassed	3) triggered	4) traced
DADT D. Clara T	land.		
PART B: Cloze T		dacida subiah ahaisa	(1) (2) (2) on (4) heat fits
			(1), (2), (3), or (4) best fits
each space. Then ma	rk the correct choice on	your unswer sneet.	

The new species was named Maiacetus inuus, which means "mother whale," (8) ----- in the family Protocetidae. Assignment to a new species was justified due to critical differences from other protocetid whales, such as solidly co-ossified left and right dentaries (lower jaws), (9) ----- in the ankle, and significant disparity in hind

مسترتست؛ وب سایت تخصصی آزمون کارشناسی ارشد

آموزش مهندسی (کد ۱۲۹۵) 706F صفحه ۳

limb elements. The fossils show (10) ----- this new species' length is unimpressive relative to some extant (living) whales, but still, Maiacetus inuus measures a respectable 2.6 meters.

8- 1) placed 2) that placed 3) was placed 4) and was placed

9- 1) there were variations 2) varying 3) variations 4) which varied

10- 1) when 2) that 3) although 4) for

PART C: Reading Comprehension

<u>Directions</u>: Read the following three passages and answer the questions by choosing the best choice (1), (2), (3), or (4). Then mark the correct choice on your answer sheet.

PASSAGE 1:

Engineers use their knowledge, appropriate experience or <u>tacit</u> knowledge to find suitable solutions to a particular problem. Creating an appropriate mathematical model of a problem often allows them to analyze it, and to test potential solutions.

More than one solution to a design problem usually exists so the different design choices have to be evaluated on their merits before the one judged most suitable is chosen.

Engineers typically attempt to predict how well their designs will perform to their specifications prior to full-scale production. They use, among other things: prototypes, scale models, simulations, destructive tests, nondestructive tests, and stress tests. Testing ensures that products will perform as expected but only in so far as the testing has been representative of use in service. For products, such as aircraft, that are used differently by different users failures and unexpected shortcomings can be expected throughout the operational life of the product.

The study of failed products is known as forensic engineering. It attempts to identify the cause of failure to allow a redesign of the product and so prevent a re-occurrence. Careful analysis is needed to establish the cause of failure of a product. The consequences of a failure may vary in severity from the minor cost of a machine breakdown to large loss of life in the case of accidents involving aircraft and large stationary structures like buildings and dams.

11-	The word "ta	cit" in paragrapl	1 is similar in	meaning to
-----	--------------	-------------------	-----------------	------------

1) formal 2) general 3) expressive 4) implicit

12- Choosing the appropriate solution, as stated in the passage, ------

- 1) requires the quality assessment of the various design choices
- 2) leads to creation of various models for existing solutions
- 3) makes engineers broaden their specifications
- 4) predicts the expertise of an engineer

13- Engineers use all of the following tests to predict how well their designs will perform to their specifications EXCEPT -----.

- 1) damaging the specimen that is being tested
- 2) the production of a computer model of something
- 3) the deployment of resources and operational costs
- 4) performance validation of a product under expected load conditions

آموزش مهندسی (کد ۱۲۹۵) مفحه ۴

14- It's stated in the passage, the aircraft products ------

- 1) are compatible with experimental programs in terms of efficiency
- 2) show types of unexpected defects in different applications
- 3) require the least necessary design changes
- 4) have a high prolonged operational life

15- Forensic engineering, according to the passage, is exactly defined as ------

- 1) developing a design from a range of potentially viable alternatives
- 2) the investigation of failures ranging from serviceability to catastrophic
- 3) designing aircraft and large stationary structures like buildings and dams
- 4) analyzing performance assumptions about how such a design will behave once constructed

PASSAGE 2:

The engineering profession engages in a wide range of activities, from large collaboration at the societal level, and also smaller individual projects. Almost all engineering projects are obligated to some sort of financing agency: a company, a set of investors, or a government. The few types of engineering that are minimally constrained by such issues are pro bono engineering and open-design engineering.

By its very nature engineering has interconnections with society, culture and human behavior. Every product or construction used by modern society is influenced by engineering. The results of engineering activity influence changes to the environment, society and economies, and its application brings with it a responsibility and public safety. Engineering projects can be subject to controversy.

Engineering is a key driver of innovation and human development. Sub-Saharan Africa, in particular, has a very small engineering capacity which results in many African nations being unable to develop crucial infrastructure without outside aid. The attainment of many of the Millennium Development Goals requires the achievement of sufficient engineering capacity to develop infrastructure and sustainable technological development.

Engineering companies in many established economies are facing significant challenges with regard to the number of professional engineers being trained, compared with the number retiring. There are many negative economic and political issues that this can cause, as well as ethical issues. It is widely agreed that the engineering profession faces an "image crisis", rather than it being fundamentally an unattractive career.

16- It's stated in the passage that nearly all engineering projects -----

- 1) cause a collaboration between individuals and society
- 2) work as mediators connecting companies with engineers
- 3) are engaged in evaluating the financial budgets of companies
- 4) are constrained to a company, a set of investors, or a government

17- Pro bono engineering and open design engineering ------

- 1) are considered as types with the lowest budget
- 2) are the disciplines with the least importance
- 3) are not obligated to some special financing agencies
- 4) are responsible for maintaining the financial records in companies

مفعه ۵ مفعه ۵

آموزش مهندسی (کد ۱۲۹۵)

18- According to paragraph 2, all of the following are true about engineering EXCEPT ------

- 1) increasing controversial subjects in the society
- 2) influencing society, culture and human behavior
- 3) involving all products utilized in the modern society
- 4) helping communities to be and feel safe

19- Sub-Saharan Africa, as mentioned in the passage, ------

- 1) does not care to its crucial infrastructures
- 2) includes countries with small engineering potentials
- 3) is a symbol of innovation and human development
- 4) could attain to a sustainable technological development

20- The term "image crisis" mentioned in paragraph 4 ------

- 1) modifies the unattractiveness of engineering
- 2) emphasizes all negative issues in engineering
- 3) represents engineering as a challengeable career
- 4) shows that the number of retired is more in engineering than employed

PASSAGE 3:

Business Engineering deals with the relationship between professional engineering, IT systems, business administration and change management. Engineering management or "Management engineering" is a specialized field of management concerned with engineering practice or the engineering industry sector. The demand for management-focused engineers (or from the opposite perspective, managers with an understanding of engineering), has resulted in the development of specialized engineering management degrees that develop the knowledge and skills needed for these roles.

During an engineering management course, students will develop industrial engineering skills, knowledge, and expertise, alongside knowledge of business administration, management techniques, and strategic thinking. Engineers specializing in change management must have in-depth knowledge of the application of industrial and organizational psychology principles and methods. Professional engineers often train as certified management consultants in the very specialized field of management consulting applied to engineering practice or the engineering sector. This work often deals with large scale complex business transformation or Business process management initiatives in aerospace and defense, automotive, oil and gas, machinery, pharmaceutical, food and beverage, electrical & electronics, power distribution & generation, utilities and transportation systems.

21- Engineering management, according to the passage, -----

- 1) is involvement of the practice of management with the practice of engineering
- 2) develops the knowledge and skills needed for various sectors of engineering
- 3) concentrates on knowledge of engineering in the future engineers
- 4) is a specialized field of the engineering industry sector

22- Students of engineering management specialize at all of the following EXCEPT ------

- 1) preparing for future challenges
- 2) focusing on general theories and hypotheses
- 3) managing an organization's resources, time, and people
- 4) having high levels of performance within a given domain

706F

آموزش مهندسی (کد ۱۲۹۵)

23- Change management engineering requires -----

- 1) a few professional psychologists to help business engineers
- 2) to be identified as a new specialized sector in industrial psychology
- 3) to train consultants to facilitate the complex business transformations
- 4) a very detailed study to use psychological principles to address industry issues

24- The word "initiatives" in paragraph 2 is similar in meaning to -----.

- 1) creativities
- 2) structures
- 3) investments
- 4) productions

25- The writer of this passage wants to -----.

- 1) attempt to make business engineering known to others
- 2) show business management as a new perspective in engineering
- 3) compare business management with the other engineering domains
- 4) highlight the sub-branches of business management to students

ریاضیات (آمار و احتمال، معادلات دیفرانسیل و ریاضیات مهندسی):

۱۳۰ براساس دادههای زیر، چندک ۱۶۵ $(\mathbf{Q}_{\circ,8\Delta})$ کدام است-

Y, S, F, O, 1, T, T, D, 1, O, T, 1, T, F, T, 1, O, Y, T, A

الت؟
$$P(A) = P(B) = \frac{V}{\lambda}$$
 باشد، كدام گزينه نادرست است؟

$$P(A \cap B) \le \frac{\gamma}{\lambda}$$
 (7

$$P(A \cup B) \ge \frac{\gamma}{\lambda}$$
 (1)

$$P(A \cap B) \ge \frac{1}{r} (r$$

$$P(A \cap B) \ge \frac{r}{\epsilon} (r$$

۲۸ یک مهرهٔ دو رو به رنگهای سیاه و سفید به تناوب پرتاب می شود. نتیجه هر پرتاب وابسته به پرتاب قبل است. در هـر پرتاب احتمال رخداد رنگ سیاه به شرطی که در پرتاب قبل رنگ سیاه آمده باشد $\frac{\mathsf{T}}{\mathsf{T}}$ و احتمال رنگ سفید به شـرطی

که در پرتاب قبل رنگ سفید آمده باشد $\frac{1}{7}$ است. اگر در پرتاب اول با احتمال $\frac{1}{\Lambda}$ رنگ مهره سفید باشد، احتمال اینک در پرتاب دوم رنگ مهره سفید باشد، کدام است؟

706F

آموزش مهندسی (کد ۱۲۹۵)

- ۲۹ بازیکنی در هر دور بازی تاسی را دو بار پرتاب می کند. اگر در پرتاب اول عدد زوج بیاید، به اندازه عدد پرتاب دوم امتیاز کسب می کند و اگر در پرتاب اول، عدد فرد بیاید به اندازه عدد پرتاب دوم امتیاز از دست می دهد. بازیکن در ابتدا هیچ امتیازی ندارد. میانگین امتیاز بازیکن پس از ۳ دور بازی کدام است؟
 - 1 (1
 - 7)
 - ۳) صفر
 - -1 (4
- ۳۰ ـ یک نمونهٔ تصادفی ۶۴ تایی از جمعیتی با میانگین ۸ و واریانس ۱۶ انتخاب میکنیم. انحراف معیار میانگین نمونهای کدام است؟
 - 1 (1
 - $\frac{1}{\lambda}$ (7
 - ر (۳
 - 1 (4
- است؟ $P(X>a+\frac{1}{Y})=\frac{\delta}{q}$ باشد، مقدار a کدام است؟ $P(X>a+\frac{1}{Y})=\frac{\delta}{q}$ باشد، مقدار a کدام است؟ $f(x)=Te^{-Yx}$, x>0
 - $\frac{1}{r}(1-\ln\frac{\Delta}{9})$ (1
 - $\frac{1}{7} \ln \frac{\Delta}{9}$ (7
 - $\frac{1}{r}(\ln\frac{\theta}{\Delta}-1)$ (r
 - $\frac{1}{r} \ln \frac{9}{\Delta}$ (4
- سرای علی و مریم منزل را همزمان برای حضور در کلاس ترک میکنند. زمان لازم برای رسیدن به کلاس برای علی و مریم متغیرهای تصادفی مستقل با توزیعهای به ترتیب N(1, 0, 0) و N(1, 0, 0) است. احتمال اینکه علی زودتر از مریم به کلاس برسد، کدام است؟
 - 0/YFAF (1
 - 0/V4D9 (T
 - 0/ 1014 (4
 - 0,7241 (4

706F

آموزش مهندسی (کد ۱۲۹۵)

۲ (۳

<u>۵</u> (۴

۳۳ متغیرهای تصادفی X و Y دارای تابع جرم توأم $P(x\,,y)$ مطابق جدول زیر هستند. مقدار Eig[E[X|Y]ig] کدام است؟

YX	0	1
0	1 8	<u>'</u> "
١	1 4	18

۳۴ - ۵۰۰ نمونهٔ تصادفی هریک با اندازهٔ ۹۰۰ نفر از یک جمعیت بزرگ که در آن ۱۰٪ جمعیت چـپدسـت هسـتند، انتخاب میشوند. نسبت افراد چپدست در هر نمونه محاسبه و هیسـتوگرام ۵۰۰ نسـبت محاسبهشـده، رسـم میشود. کدام فاصله دربرگیرنده ۶۸٪ از مقادیر در هیستوگرام است؟

- ∘/\±∘/∘\° (\
- 0/1±0/0174 (T
- 0/1±0/018V (T
- 0/1±0/070 (F

 $\mathbf{H}_{\circ}:\mathbf{p}=rac{1}{\pi}$ فرض کنید \mathbf{X} یک متغیر تصادفی از توزیع هندسی با پارامتر \mathbf{p} و تابع احتمال زیر باشد. برای آزمون فــرض

در مقابل $\frac{\mathsf{Y}}{\mathsf{w}} = \mathbf{H}_1: \mathbf{p} = \frac{\mathsf{Y}}{\mathsf{w}}$ اگر ملاک رد (ناحیه بحرانی) به صورت $\mathbf{x} \geq \mathsf{Y}$ باشد، توان آزمون کدام است؟

 $f_p(x) = p(1-p)^x$, x = 0, 1, 7, ...

۱ ۸

۱ (۲

۲ (۳

1 9 (4

۳۶ معادلهٔ دیفرانسیل دسته دوایری در صفحه که مرکز آنها روی محور \mathbf{x} ها باشد، کدام است

$$1 + yy'' + (y')^{\Upsilon} = 0$$
 (1

$$1 + yy'' - (y')^{\Upsilon} = \circ (\Upsilon)$$

$$1 + yy'' - y' = 0$$
 (Y

$$1 + yy'' + y' = 0$$
 (4

 $^{\circ}$ است؟ $^{\circ}$ خواب عمومی معادلهٔ دیفرانسیل $^{\circ}$ $^{\circ}$ $^{\circ}$ $^{\circ}$ $^{\circ}$

$$y^{\mathfrak{k}} + x^{\mathfrak{k}}y^{\mathfrak{k}} = c$$
 (7
$$y^{\mathfrak{k}} + x^{\mathfrak{k}}y^{\mathfrak{k}} = c$$
 (1)

$$y^r + x^r y^r = c$$
 (* $y^r + x^r y^r = c$ (*

706F

آموزش مهندسی (کد ۱۲۹۵)

 $y(1) = \ln(1+\sqrt{7})$ و $y(\circ) = \circ$ با شرایط $y(\circ) = \circ$ کدام است؟ $y(\circ) = \circ$ کدام است؟ $y(\circ) = \circ$ کدام است؟

$$ln(1+\sqrt{7x})$$
 (1

$$ln(x + \sqrt{1 + x^{\gamma}})$$
 (7

$$ln(x^7 + \sqrt{1+x})$$
 (7

$$\ln(x+\sqrt{1+x^{\gamma}})+x-x^{\gamma}$$
 (4

۳۹ ضریب x در آرگومان \cos در جواب عمومی معادلهٔ دیفرانسیل مرتبه β زیر کدام است-

$$y^{(r)} + y^{(r)} + y = 0$$

$$-\frac{\sqrt{r}}{r}$$
 (7

1 (4

است؟ دام است ، $\int_0^\infty \frac{e^{-x} - e^{-x}}{x} dx$ کدام است -۴۰

است؟ $\int_{0}^{\infty} \frac{\mathrm{d}x}{x^{9}+1}$ کدام است؟

$$\frac{\pi}{9}$$
 (1

$$\frac{\pi}{\epsilon}$$
 (۲

$$\frac{\pi}{r}$$
 (r

$$\frac{7\pi}{\pi}$$
 (4

(تحلیلی است $\mathbf{f}(z)$ جاصل $\mathbf{f}(z)$ درون و ست $\mathbf{f}(z)$ کدام است $\mathbf{f}(z)$ کدام است $\mathbf{f}(z)$ حاصل $\mathbf{f}(z)$ کدام است $\mathbf{f}(z)$ کدام است $\mathbf{f}(z)$ کدام است $\mathbf{f}(z)$

آموزش مهندسی (کد ۱۲۹۵) 706F مفحه ۱۰

```
چه g(z) = v(x,y) + iu(x,y) اگر f(z) = u(x,y) + iv(x,y) در تمام صفحه مختلط تحلیلی باشد، راجع به تابع f(z) = u(x,y) + iv(x,y) چه می توان گفت؟
```

۲) به شرط ثابت بودن ${f u}$ تحلیلی است.

۱) همواره تحلیلی است.

v و v تحلیلی است. v

 ∇) به شرط ثابت بودن ∇ تحلیلی است.

$$(f'(x) = \frac{df(x)}{d(x)})$$
 بعدی تار مرتعشی که معادلهٔ حاکم بر آن به صورت زیر است، چگونه است? $-$ ۴۴

$$\begin{cases} \mathbf{u}_{tt} - \mathbf{c}^{\mathsf{T}} \mathbf{u}_{xx} = \circ & -\infty < x < \infty \\ \mathbf{u}(x, \circ) = \mathbf{f}(x) & -\infty < x < \infty \\ \mathbf{u}_{t}(x, \circ) = \mathbf{c}\mathbf{f}'(x) & -\infty < x < \infty \end{cases}$$

- ۱) از مجموع دو موج تشکیلشده که یکی بدون تغییرشکل با سرعت ثابت c به راست میرود و دیگری بدون تغییرشکل با سرعت ثابت c به چپ میرود.
 - ۲) موجی است که با سرعت ثابت c بدون اینکه شکلش تغییر کند به سمت راست می رود.
 - ۳) موجی است که با سرعت ثابت c بدون اینکه شکلش تغییر کند به سمت چپ می رود.
 - ۴) موجی ساکن است.

است؟ $\mathbf{u}(\frac{\mathbf{L}}{\mathbf{r}},\frac{\mathsf{q}\mathbf{L}}{\mathbf{r}})$ در مسئله مقدار اولیه ـ کرانهای زیر مقدار $\mathbf{u}(\mathbf{u},\frac{\mathsf{L}}{\mathsf{r}},\frac{\mathsf{q}\mathbf{L}}{\mathsf{r}})$ کدام است؟

مبانی کامپیوتر و برنامهسازی:

۴۶ خروجی تابع زیر کدام است؟

آخرین اخبار و اطلاعات کارشناسی ارشد در وب سایت مسترتست

مفعه ۱۱ صفحه 706F

آموزش مهندسی (کد ۱۲۹۵)

```
{f A} و {f B} سے ماتریس مربعی {f n} 	imes {f n} باشند. دو برنامہ زیبر بیرای ضرب دو میاتریس {f B} و {f B}
                                                                نوشتهشده است. کدام مورد درست است؟
for (i = 1; i \le n; i + +)
                                                       for (i = 1; i \le n; i + +)
                                                          for (j = 1; j \le n; j + +)
   for(j=1; j \le n; j++)
                                                              C[i][j] = A[i][1] * B[1][j];
  C[i][j] = 0;
  for(k = 1; k \le n; k + +)
                                                              for (k = 2; k \le n; k + +)
  C[i][j] = C[i][j] + A[i][k] * B[k][j];
                                                              C[i][j] = C[i][j] + A[i][k] * B[k][j];
                                                           }
                 (الف)
                                                                                 (ن)
                                    ۱) هیچکدام نمی توانند ضرب دو ماتریس A و B را بهدرستی محاسبه کند.
                                     ۲) هردو کد می توانند ضرب دو ماتریس A و B را بهدرستی محاسبه کنند.
                                  ۳) فقط کد (الف) می تواند ضرب دو ماتریس A و B را بهدرستی محاسبه کند.
                                  ۴) فقط کد (ب) می تواند ضرب دو ماتریس A و B را به درستی محاسبه کند.
 به الله ه و \mathbf{b} دو عدد صحیح مثبت غیرصفر باشند و دستور \mathbf{swap} جای دو مقدار را با هم عوض می کند. روال -۴۸
                                                                          زیر کدام کار را انجام می دهد؟
 unsigned int G (unsigned int a, unsigned int b)
     if (a < b) swap (\& a, \& b);
    while (b <> 0)
       int r = a \% b;
       a = b;
       b = r;
    }
         return a;
 }
                  ۲) کوچکترین مضرب مشترک a و ۲
                                                                 ۱) بزرگ ترین مقسوم علیه مشترک a و (۱
                                                               b و a مجموعه مقسومعلیههای مشترک a
                    ۴) این برنامه خروجی خاصی ندارد.
                                     ۴۹ مرحلهٔ اول در روش مرتبسازی انتخابی (Selection Sort) کدام است؟
                                                                         ١) وسط ليست را پيدا مي كنيم.
                                                           ۲) هر عدد را با عدد کناری آن مقاسه می کنیم.
                                                     ۳) مکان کوچکترین یا بزرگترین عدد را پیدا میکنیم.
                                            ۴) کوچکترین یا بزرگترین عدد را با وسط لیست جابهجا می کنیم.
```

706F

آموزش مهندسی (کد ۱۲۹۵)

1 (4

```
۵۰ اگر {f c} یک رشته و {f d} یک کاراکتر باشد، تابع زیر در زبان {f C} چه مقداری را برمی گرداند؟
int test (char *s, char d)
    int i, n = 0;
    for (i = 0; s[i]; ++i)
      n = n + (s[i] == d);
     retrun n;
}
                     S) مجموع كدهاي ASCII در S
                                                      در d که با d برابرند. ASCII امجموع کدهای
                               s عداد تکرار d در ۴
                                                                                ۳) تعداد کاراکترهای S
     همافتد؟ می افتد و نظر بگیرید (n تعداد عناصر آرایه A است.) بعد از اجرای برنامه، چه اتفاقی می افتد؟
int m = n/2;
for (int i = 0; i < m; i + +)
    int t = A[i];
    A[i] = A[n-i-1];
    A[n-i-1]=t;
}
                   ک) نیمهٔ دوم آرایه A مرتب می شود.
                                                                     ا) نیمهٔ اول آرایه A مرتب می شود.
              A[j] = A[m+j]; j=1,...,m (*
                                                                 ۳) ترتیب عناصر آرایه A وارون می شود.
 M اول است؛ M یک عدد صحیح بزرگ تر از ۲ باشد، اجرای حلقه زیر در چه صورت مشخص می کند که عدد M اول است؛
i = 2;
while (M \% i <> 0)
   i++;
                                        i > M (\Upsilon
                                                                                          i = M ()
                                       i < \frac{M}{2} (4
                                                                                          i < M (^{\circ}
A فرض کنید آرایه A شامل ۱۲۸ عنصر و بهصورت غیرنزولی مرتب شده باشـد و از الگـوریتم جسـتجوی دودویـی
{\bf A} برای یافتن اعداد استفاده می شود. در این صورت برای یافتن عـدد {\bf x} کـه از کلیـه عناصـر (Binary Search)
                                                             بزرگ تر است، چند مقایسه مورد نیاز است؟
                                                                                                9 (1
                                             ٧ (٢
```

9 (4

```
۵۴ الگوریتم زیر برای پیداکردن عناصر ماکزیمم و مینیمم در یک آرایه به کار می رود. کدام مورد درخصوص تعداد
مقایسهها (سطرهای 5 و 7) درست است؟ (فرض کنید عناصر در آرایه S قرار دارند که از اندیس 0 شروع می شود.
                                                                     n تعداد عناصر ورودی است.)
1 \min = S[0];
2 \max = S[0];
    for (i = 1; i < n; i + +)
3
4
         if (S[i] < min)
5
              min = S[i];
6
         else if (S[i] < max)
7
                 max = S[i];
8
9
     }
           ۲) بیشترین تعداد مقایسه (n-1) است.
                                                            ۱) کمترین تعداد مقایسه ۱ – ۲n است.
               ۳) بیشترین تعداد مقایسه (n-1) است. (n-1) است. (n-1) است.
        ست x++; تعداد تکرار دستور x++ در قطعه کد زیر برای ورودی x به کدامیک از گزینههای زیر نزدیک است
int x = 0;
int i = n;
while (i > 1)
      x + +;
      i = i/2;
 }
                                         n^2 (\Upsilon
                                                                                         n ()
                                    n log n (f
                                                                                   log(n) (r
                                                          n=4 کدام است? خروجی تابع زیر بهازای n=4
int f(int n)
{
  if (n < 3) return n;
  return f(n-1) + f(n-2) + f(n-3);
}
                                           9 (4
                                                                                         ۵ (۱
                                                                                         ٧ (٣
                                           1 (4
```

آموزش مهندسی (کد ۱۲۹۵) موزش مهندسی (کد ۱۲۹۵)

```
^{\circ} با توجه به تابع زیر ^{\circ} func (100) چه خواهد بود؟
int func (int n)
{
    if (n == 0) return 0;
    return (n + func (n - 1));
}
              10000 (4
                                       ۵ · ۵ · (۳
                                                                                           199 (1
                     n = 8 چند بار عمل جمع + انجام می پذیرد? - تابع بازگشتی زیر را درنظر بگیرید. برای
int T(int n)
{
    if (n \le 1) return l;
       return T(n/2) + T(n/2);
}
                                                                      Y (Y
                                                                                               9 (1
۵۹ برنامه زیر برای محاسبه تقریبی عدد نپر نوشته شده است. این برنامه تا یکصد جمله اوّل سری را محاسبه میکند.
                                                 کدام مشکل ممکن است در حین اجرای برنامه بروز کند؟
int main ()
    {
     double e,f;
       e = f = 1.0;
     for (int n = 1; n \le 100; n + +)
       {
         f = n;
         e += f:
        cout << e;
     }
      ۱) اشتباه برنامه در این است که حاصل تقسیم بر اعداد صحیح، صحیح است لذا n باید از نوع double باشد.
                                     ۲) برنامه صحیح است و در اجرای آن نیز هیچگونه خطایی بروز نمی کند.
                                     ۳) خطای number over flow بهدلیل محاسبه !n برای اعداد بزرگ
                                              برای اعداد بزرگ round off بهدلیل محاسبه برای اعداد بزرگ) خطای \frac{1}{n!}
                       ۶۰ ترتیب انجام عملیات در عبارت زیر به چهصورت است؟ (گزینه ها از راست به چپ است)
(x+y) & &!(x-y*z>w)
                          > \( - \( \cdot + \( \cdot \& \cdot \) ( \( \cdot \)
                                                                           &&:!:-:*:>:+ ()
                                                                           &&:!:>:-:*:+ (*
```

706F

صفحه ۱۵


آموزش مهندسی (کد ۱۲۹۵)

۴) موارد ۱ و ۲

```
اه- خروجی برنامه ریز برای دو عدد صحیح مثبت x و y کدام است?
int test (int x, int y)
 {
    if(x == 0)
      return y;
    else
          return test (-x, y++);
   }
               y-x (*
                                       x + y (^{\circ}
                                                                     X (Y
                                                                                              y (1
                                              \mathbf{s} در زبان \mathbf{c} با اجرای تکه برنامه زیر محتوای \mathbf{s} چه خواهد بود؟
char s[] = "C++", k, i, j;
for (i = 0, j = strlen(s) - 1; i < j/2; + +i, --j)
          k = s[i];
          s[i] = s[j];
         s[j] = k;
       }
               ++C (^{\epsilon}
                                        +C+ (^{\circ}
                                                                 ۶۳ دربارهٔ دستورات زیر کدام مورد درست است؟
char * p;
int *q;
                     sizeof(p) > sizeof(q) (Y
                                                                       sizeof(p) < sizeof(q) (\)
    sizeof(q) و sizeof(p) و sizeof(p) و بستند.
                                                                       sizeof(p) = sizeof(q) (^{\circ}
           ۶۴ یک عدد با استفاده از ۸ بیت در سیستم مکمل ۲ چنین نمایش داده شده است. این عدد کدام است؟
                                                                                         -17X (1
                                                                                         -177 (7
                                                                                            ۳) صفر
                                                                                           171 (4

    ۶۵ دلیل نصب و استفاده از حافظهٔ جانبی برای کامپیوتر کدامیک از موارد زیر می تواند باشد؟

                 ۱) حافظهٔ جانبی در مقایسه با حافظهٔ اصلی ارزان تر است. (قیمت در واحد ظرفیت ذخیرهسازی)
                                    ۲) حافظهٔ جانبی اغلب دارای فضای بیشتری برای ذخیرهسازی داده است.
                                                   ٣) حافظهٔ اصلی در مقایسه با حافظهٔ جانبی کندتر است.
```



Z	0.0	.01	.02	.03	.04	.05	.06	.07	.08	.09
.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
0.	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
0.1	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.4878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
8.5	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
0.8	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998